

Priemyselné hadice pre chemikálie



Plutone PK

Použitie:

hadica pre sanie a dopravu chemikálií



Označenie	Priemer		pracovný tlak	poruchový tlak	balenie	hmotnosť	vácu	min polomer ohybu
	vnútorný	vonkajší						
	mm	mm	bar	bar	m	kg/m	bar	mm
PLPK 20	20	29	10	30	60	0,39	1	80
PLPK 25	25	35	10	30	60	0,55	1	100
PLPK 32	32	43	10	30	60	0,74	0,9	130
PLPK 38	38	49	10	30	30	0,86	0,9	150
PLPK 50	50	63	10	30	30	1,39	0,8	250
PLPK 52	52	65	10	30	30	1,44	0,8	260
PLPK 63	63	77	10	30	30	1,82	0,8	320
PLPK 76	76	91	10	30	30	2,27	0,7	380
PLPK 102	102	118	10	20	20	3,29	0,7	510

Supertop LL XLPE

Použitie:

hadica pre sanie a dopravu širokého

rozsahu chemikálií a olejov



Označenie	Priemer		pracovný tlak	poruchový tlak	balenie	hmotnosť	vácu	min polomer ohybu
	vnútorný	vonkajší						
	mm	mm	bar	bar	m	kg/m	bar	mm
XLPELL 19	19	33	10	40	60	0,9	0,9	115
XLPELL 25	25	38	10	40	60	1,04	0,9	155
XLPELL 32	32	46	10	40	60	1,38	0,9	205
XLPELL 38	38	52	10	40	60	1,57	0,9	250
XLPELL 51	51	66	10	40	60	2,22	0,9	345
XLPELL 63,5	63,5	78,5	10	40	60	2,7	0,9	450
XLPELL 76	76	94	10	40	60	3,83	0,9	545
XLPELL 102	102	120	10	40	60	5,13	0,9	775

Supertop LL UHMWPE

Použitie:

hadica pre sanie a dopravu širokého rozsahu chemikálií, potravín a olejov



Označenie	Priemer		pracovný tlak	poruchový tlak	balenie	hmotnosť	vácuum	min polomer ohybu
	vnútorný	vonkajší						
	mm	mm	bar	bar	m	kg/m	bar	mm
UHMWPELL	19	31	10	40	60	0,77	115	0,9
UHMWPELL	25	37	10	40	60	0,98	155	0,9
UHMWPELL	38	52,5	10	40	60	1,62	205	0,9
UHMWPELL	51	64	10	40	60	1,98	250	0,9
UHMWPELL	51	66	10	40	60	2,22	345	0,9
UHMWPELL	76	91	10	40	60	3,16	545	0,9

Supertop XLPE

Použitie:

hadica pre sanie a dopravu širokého

rozsahu chemikálií a olejov



Označenie	Priemer		pracovný tlak	poruchový tlak	balenie	hmotnosť	vácu	min polomer ohybu
	vnútorný	vonkajší						
	mm	mm	bar	bar	m	kg/m	bar	mm
XLPE 13	13	22	10	40	60	0,29		
XLPE 19	19	30	10	40	60	0,53		
XLPE 25	25	37	10	40	60	0,7		
XLPE 32	32	44	10	40	60	0,85		
XLPE 38	38	52	10	40	60	1,24		
XLPE 51	51	65	10	40	60	1,57		
XLPE 63,5	63,5	78,5	10	40	60	2,01		
XLPE 76	76	94	10	40	60	2,91		
XLPE 102	102	122	10	40	60	4,33		